TICKLE, et al. Appl. No. 10/690,991 Monday, December 19, 2005

## <u>AMENDMENTS TO THE CLAIMS:</u>

Amend the claims as follows:

Claims 1-101. (Canceled)

102. (new) A crystal of P450 3A4 protein having an orthorhomobic space group I222, and unit cell dimensions a=78 Å, b=100 Å, c=132 Å,  $\alpha=\beta=\gamma=90^{\circ}$ , with a unit cell variability of 5% in all dimensions, wherein said 34A protein comprises the core of residues 17 to 476 of SEQ ID NO:2.

103. (new) The crystal of claim 102 wherein said protein comprises the core of residues 17 to 481 of SEQ ID NO:2.

104. (new) The crystal of claim 102 wherein said 3A4 protein comprises a core of residues 3 to 476 of SEQ ID NO:2.

105. (new) The crystal of claim 102 wherein said 3A4 protein comprises a core of residues 3 to 481 of SEQ ID NO:2.

106. (new) A crystal of P450 3A4 protein having an orthorhomobic space group I222, and unit cell dimensions a=78 Å, b=100 Å, c=132 Å,  $\alpha$ = $\beta$ = $\gamma$ =90°, with a unit cell variability of 5% in all dimensions, wherein said 34A protein comprises the core of residues 17 to 476 of SEQ ID NO:2, wherein said core further comprises an N -terminal

`TICKLE, et al. '
Appl. No. 10/690,991
Monday, December 19, 2005

region of smaller than 20 amino acids in size and said C-terminal region of no larger than 10 amino acids in size.

107. (new) The crystal of claim 106 wherein said C-terminal region comprises a polyhistidine tag.

108. (new) The crystal of claim 107 wherein said polyhistidine tag is a 4-His tag.

109. (new) The crystal of claim 106 wherein said N-terminal region is a wild-type 3A4 sequence truncated within said region.

110. (new) A crystal of P450 3A4 protein having an orthorhomobic space group I222, and unit cell dimensions a=78 Å, b=100 Å, c=132 Å,  $\alpha$ = $\beta$ = $\gamma$ =90°, with a unit cell variability of 5% in all dimensions, wherein said 34A protein comprises the core of residues 17 to 476 of SEQ ID NO:2, wherein said core further comprises a C-terminal region of no larger than 10 amino acids in size and a truncated N-terminal region wherein said truncation comprises a deletion within the P450 3A4 trans-membrane domain.

111. (new) The crystal of claim 110 wherein the deletion is of the transmembrane domain.

TICKLE, et al. Appl. No. 10/690,991
Monday, December 19, 2005

112. (new) The crystal of claim 110 wherein said deletion is of wild-type residues 3-24.

113. (new) The crystal of claim 110 wherein said N-terminal region is SEQ ID NO:3.

114. (new) A crystal of P450 3A4 protein having an orthorhomobic space group I222, and unit cell dimensions a=78 Å, b=100 Å, c=132 Å,  $\alpha$ = $\beta$ = $\gamma$ =90°, with a unit cell variability of 5% in all dimensions, wherein said 34A protein comprises the core of residues 3 to 476 of SEQ ID NO:2, wherein said core further comprises a N -terminal region smaller than 20 amino acids in size and said C-terminal region is no larger than 10 amino acids in size.

115. (new) The crystal of claim 114 wherein said C-terminal region comprises a polyhistidine tag.

116. (new) The crystal of claim 115 wherein said polyhistidine tag is a 4-His tag.

117. (new) A crystal of a P450 3A4 of SEQ ID NO:2 having an orthorhomobic space group I222, and unit cell dimensions a=78 Å, b=100 Å, c=132 Å,  $\alpha=\beta=\gamma=90^{\circ}$ , with a unit cell variability of 5% in all dimensions.

TICKLE, et al. Appl. No. 10/690,991
Monday, December 19, 2005

118. (new) A crystal of P450 3A4 having an orthorhomobic space group I222, and unit cell dimensions a=78 Å, b=100 Å, c=132 Å,  $\alpha$ = $\beta$ = $\gamma$ =90°, with a unit cell variability of 5% in all dimensions, wherein said P450 3A4 is of SEQ ID NO:2 or comprises from 1 or 2 amino acid substitutions or deletions thereof.

119. (new) The crystal of claim 118 wherein said substitutions provide a naturally occurring allele of P450 3A4.